

# Tx1

Marco Ghilarducci



colors



Typology Table  
Utilisation Indoor

230V 27.5 W 3534 lm



indirect light

Table lamp reflected light, adjustable reflector. Painted aluminium structure, brass support. LED light source. Electronic driver and LED integrated in the body lamp. Switch on the alimentation cable.

Award






|             |        |
|-------------|--------|
| Family      | Tx1    |
| Typology    | Table  |
| Utilisation | Indoor |


**Dimensions**

|                           |           |
|---------------------------|-----------|
| Height                    | 66 cm     |
| Diameter                  | 60 cm     |
| Power supply cable length | 40+200 cm |
| Weight                    | 8.5 Kg    |

**Materials**

|            |            |          |                  |
|------------|------------|----------|------------------|
| Structure  | aluminium  | Diffuser | methacrylate 030 |
| Riflettore | aluminium  | Base     | brasssteel       |
| Elementi   | brasssteel |          |                  |

|                       |                                 |              |         |
|-----------------------|---------------------------------|--------------|---------|
| Voltage               | 230V                            | Watt         | 27.5 W  |
| Power unit            | Included                        | Lumen        | 3534 lm |
| Mounting Power Supply | External                        | CRI          | >80     |
| Power supply          | Electronic plug-in power supply | Duration     | 50000 h |
| Dimming               | Dimmer on the cable             | CCT          | 3000 K  |
|                       |                                 | Energy class | E       |

**Certifications****EcoLabel****Colour variant code**

799/DIM/L/1/GR



Grey



799/DIM/L/1/BI



White

Gallery

