

# Light Module 60° Circular Pol XXL

Emiliana Martinelli

colors



Typology      Pendant  
Utilisation    Indoor

230V   59.9 W   9353 lm



diffuse light

## CURVED MODULE

Diffused device light. Polyethylene rotational moulded, with possibility to connect it with other moduls of the "Circular Pol XXL".

The curved module, cod. **40829/L/1/BI** can be connected with:

code 40828/L/1/BI 60W LED - linear module

code 40854/L/1/BI 20W LED - angular module


by a joint (cod. 40831/GR) to form a single and continuous for customizable geometric forms.

Award





Family	Light module 60° Circular Pol XXL
Typology	Pendant
Utilisation	Indoor



### Dimensions



Height	20 cm
Larghezza	33 cm
Profondità	124 cm
Power supply cable length	600 cm
Weight	7 Kg

### Materials


Diffuser	polyethylene	Elementi	aluminium
----------	--------------	----------	-----------

Voltage	230V	Watt	59.9 W
Power unit	Included	Lumen	9353 lm
Mounting Power Supply	Indoor	CRI	>80
Power supply	Electronic dimmable power supply	Duration	50000 h
Dimming	Push Dali2	CCT	3000 K
		Energy class	D

### Certifications



### Photometric curves





Colour variant code



40829/L/1/BI



White



Gallery

