



# Light Module Colibrì Magnetic

2 modules

Emiliana Martinelli

colors



Typology      Pendant Wall Ceiling  
Utilisation    Indoor

24V 2x 14 W 2311 lm (4622lm) 14 W 2311 lm (4622lm)




Modular System with swivel tubular modules, for LED light source. A spherical magnet joint allows Colibrì to be tilted at different angles, creating various configurations in the space it is placed in. Colibrì can be hung as single modules or joined through a power cable having 1/2/3 continuous modules. These can then be connected to the remote driver or placed inside the canopy. The color given by the iridescent radiant film exalts its dynamic characteristics (optional).

Dimmable driver on request



Family	Light module Colibri Magnetic
Typology	Pendant Wall Ceiling
Utilisation	Indoor



### Dimensions

Lunghezza	137 x 2 cm
Diameter	2,5 cm
Power supply cable length	400 cm
Weight	3.1 Kg

### Materials


Structure	aluminium	Diffuser	methacrylate O40
-----------	-----------	----------	------------------

Voltage	24V	2 X Watt	14 W	Watt	14 W
Power unit	Excluded	Lumen	2311 lm ( 4622 lm )	Lumen	2311 lm ( 4622 lm )
Mounting Power Supply	External	CRI	>80	CRI	>80
		Duration	50000 h	Duration	50000 h
		CCT	3000 K	CCT	3000 K
		Energy class	D	Energy class	D

### Certifications



### EcoLabel



### Colour variant code



2080/2/NE



Black






2080/2/BZ



Bronze

Gallery








Accessories



**40167**  
Plug-in power supply 230/24V Colibrì  
Magnetic



**30836**  
Spherical magnet Colibrì Magnetic



**40072**  
Radiant film Colibrì Magnetic



**40114**  
Canopy with driver Calabronet/Colibrì

---