



# Light Module 30° Mamba

4000K

Emiliana Martinelli

colors



Typology      Pendant Wall Ceiling  
Utilisation    Indoor

24V 25 W 3372 lm



diffuse light

**CURVO MODULE with a 30 ° angle** (radius 175cm) to create a modular system with diffused light suspension or ceiling.

The system is composed by curved (code **40135** - 40020 - 40021 - 40053) and linear (code 40022) modules, rotational moulded, white polyethylene material. The combination of modules, through aluminium joints (code 40026/BI intermediate joint with cable - code 40027/BI terminal joint with cable or 40047/BI intermediate joint with support to fix to the ceiling - 40048/BI terminal joint with support to fix to the ceiling), allows you to create linear paths, sinuous or circular paths of Ø 70cm (4 curved modules 40053), Ø 95cm (3 curved modules 40021), Ø 180cm (6 curved modules 40020), and Ø 350cm (12 curved modules 40135). LED light source integrated. Drivers inserted into the canopy (code 40025/BI - 40025/DIM/BI) or into the false ceiling. Dimmable Push/Dali, POT. 10K $\Omega$ , 0-10V, 1-10V.

#### Awards:

iF Design Award 2019



Family Light module 30° Mamba  
 Typology Pendant Wall Ceiling  
 Utilisation Indoor



**Dimensions**


Profondità 31,4 cm  
 Lunghezza 86 cm  
 Diameter 10 cm  
 Power supply cable length 400 cm  
 Weight 1.5 Kg

**Materials**


Diffuser polyethylene      Elementi aluminium

Voltage	24V	Watt	25 W
Power unit	Excluded	Lumen	3372 lm
Mounting Power Supply	External	CRI	>80
		Duration	50000 h
		CCT	4000 K
		Energy class	

**Certifications**



**Colour variant code**



40135/4000/BI



White



Gallery

