



# Sistema U

Medium beam - length 10 cm

Studio Natural

colors



Typology Spotlight Ceiling

Utilisation Indoor

230V 13 W 1950 lm



direct light

Direct-light spotlight that can be oriented thanks to a special adjustable joint. Painted aluminium structure. LED light source with different light beams optics.

Integrated driver (cod. 1452)


Remote driver (cod. 1452/J)

Award





Family	Sistema U
Typology	Spotlight Ceiling
Utilisation	Indoor



### Dimensions

Profondità	10 cm
Diameter	7 cm
Weight	0.5 Kg

### Materials

Structure	aluminium	Diffuser	polycarbonate
-----------	-----------	----------	---------------

Voltage	230V	Watt	13 W
Power unit	Excluded	Lumen	1950 lm
Mounting Power Supply	External	CRI	>80
Power supply	Electronic power supply	Duration	50000 h
Non dimmable		CCT	3000 K
		Energy class	D

### Certifications




### EcoLabel




### Photometric curves


1452/J/38/NE-DK SISTEMA U - 38° DARKLIGHT13W 3000K LED



1452/J/38/NE SISTEMA U - 38°



13W 3000K LED



Colour variant code



1452/J/38/NE



Black



1452/J/38/BI



White



Accessories



40165  
Remote driver



40087  
Honey Comb Sistema U

---