



Avro

3000K

Studio Natural

colors



Typology Pendant

Utilisation Indoor

230V 36 W 5000 lm



direct light



diffuse light

Direct/diffused light suspension lamp with dimmable LED source.

Painted aluminium structure.

Dimmable electronic driver inside the canopy.

Multisocket equipped with three 230V schuko and two USB outlets is available as a lamp accessory. Max power 2.3KW (code 40189).

As accessory, a WiFi dimming device with 3 cables that go into the canopy is available (code 40204).

As accessory, a radio frequency device for dimming the push-button (code 40204.3).

As accessory, is available a Tuya button (code 40209).

Award






Family	Avro
Typology	Pendant
Utilisation	Indoor

Dimensions

Height	25 cm
Diameter	60 cm
Power supply cable length	200 cm
Weight	5,5 Kg



Materials


Structure	aluminium	Diffuser	methacrylate O40
Canopy	aluminium		

Voltage	230V	Watt	36 W
Power unit	Included	Lumen	5000 lm
Mounting Power Supply	Internal	CRI	>80
Power supply	Electronic power supply	Duration	50000 h
Dimming	Dimmable 5 wires Optional WI-FI dimming	CCT	3000 K
		Energy class	E


Certifications



EcoLabel



Photometric curves



Colour variant code



21019/DIM/3000/AR



21019/DIM/3000/AZ



21019/DIM/3000/BI



21019/DIM/3000/NE



Gallery







Accessories



40204.3
Frequency Radio device for button
dimming



40204
WiFi device for dimming



40189
Avro multisocket



40209
Button for Tuya
