



# Sistema U

Medium beam - non dimmable

Studio Natural



colors



Typology      Spotlight  
Utilisation    Indoor

48V 13 W 1950 lm



direct light


U system is composed of direct-light spotlights that can be oriented thanks to a special swivel joint. It is characterized by a terminal that embraces and is magnetically connected to the electrified track. LED light source with interchangeable optics. Remote driver.

Award







Family	Sistema U
Typology	Spotlight
Utilisation	Indoor






**Dimensions**

Height	10 cm
Diameter	7 cm
Weight	0.5 Kg

**Materials**


Structure	aluminium	Diffuser	polycarbonate
-----------	-----------	----------	---------------

Voltage	48V	Watt	13 W
Power unit	Excluded	Lumen	1950 lm
Mounting Power Supply	External	CRI	>80
Power supply	Electronic power supply	Duration	50000 h
Non dimmable		CCT	3000 K
		Energy class	D

**Certifications****EcoLabel****Photometric curves**




Colour variant code



1441/38/NE



Black








1441/38/BI



White

Gallery



## Accessories



**5142.1**  
Remote driver



**522**  
Driver 48 V



**519**  
Electrified track



**520**  
Electrified track



**521**  
Electrified track



**526J**  
Hanging cable



**500X**  
Bluetooth device



**525**  
Joint



**524**  
Joint



**544**  
Joint



**40087**  
Honey Comb Sistema U



**40086.1**  
Canopy



**40086**  
Canopy



**523**  
Terminal head