



# Light Module Ø 50 Cm Lunaop Slim

2700K

Emiliana Martinelli

colors



Typology      Pendant

Utilisation    Indoor

24V 20.4 W 3265 lm



diffuse light

Suspension lamp providing diffused light, painted aluminium structure in various finishes.  
White frost methacrylate diffuser.

Available in three sizes (50, 80, 120 cm), both single and modular, to create other lighting solutions.  
The structure is connected to the ceiling by means of a canopy, both for the single and the multi-body version.  
Integrated LED light source at 4000K, 3000K or 2700K.

Canopy to be ordered separately available in accessories.



40001/SL/2700

|             |                                  |
|-------------|----------------------------------|
| Family      | Light module Ø 50 cm Lunaop Slim |
| Typology    | Pendant                          |
| Utilisation | Indoor                           |

### Dimensions

|                           |        |
|---------------------------|--------|
| Height                    | 3 cm   |
| Diameter                  | 50 cm  |
| Power supply cable length | 400 cm |
| Weight                    | 0.7 Kg |

### Materials


|           |           |          |                  |
|-----------|-----------|----------|------------------|
| Structure | aluminium | Diffuser | methacrylate 040 |
|-----------|-----------|----------|------------------|

|                       |          |              |         |
|-----------------------|----------|--------------|---------|
| Voltage               | 24V      | Watt         | 20.4 W  |
| Power unit            | Excluded | Lumen        | 3265 lm |
| Mounting Power Supply | External | CRI          | >80     |
|                       |          | Duration     | 50000 h |
|                       |          | CCT          | 2700 K  |
|                       |          | Energy class | D       |

### Certifications















### EcoLabel





Photometric curves





Colour variant code



40001/SL/2700/BI

  
White



40001/SL/2700/NE

  
Black



40001/SL/2700/AU

  
Pearl Gold

40001/SL/2700/BM

  
Bronze Textured

40001/SL/2700/OV

  
Vintage Brass