



Sistema U

Narrow beam - non dimmable

Studio Natural

colors



Typology Spotlight Pendant

Utilisation Indoor

48V 13 W 1950 lm



direct light


Suspension lamp with direct light, adjustable. Painted aluminum structure. LED light source with optics in different light beams. With suspension cable and 48V electrified track adapter.

Award





Family	Sistema U
Typology	Spotlight Pendant
Utilisation	Indoor



Dimensions



Height	10 cm
Diameter	7 cm
Weight	0.5 Kg

Materials


Structure	aluminium	Diffuser	polycarbonate
-----------	-----------	----------	---------------

Voltage	48V	Watt	13 W
Power unit	Excluded	Lumen	1950 lm
Mounting Power Supply	External	CRI	>80
Power supply	Electronic power supply	Duration	50000 h
Non dimmable		CCT	3000 K
		Energy class	D

Certifications




Photometric curves



13W 3000K LED


h (m)	Ø	Em (lux)
h1	0.3/0.3	3414
h2	0.6/0.6	853
h3	0.9/0.9	379
h4	1.2/1.2	213
h5	1.4/1.4	137



h (m)	Ø	Em (lux)
h1	0.3/0.3	1917
h2	0.6/0.6	479
h3	0.9/0.9	213
h4	1.2/1.2	120
h5	1.5/1.5	77



Colour variant code



21012/20/NE

21012/20/BI



White




Black



Accessories



519
Electrified track



520
Electrified track



521
Electrified track



526
Hanging cable



500X
Bluetooth device



544
Joint



524
Joint



525
Joint



40087
Honey Comb Sistema U



523
Terminal head