



Circular Slim

Ø 65 cm

Emiliana Martinelli

colors



Typology Pendant
Utilisation Indoor

230V 50 W 6424 lm




indirect light

Hanging lamp, indirect light, painted aluminium. Electronic dimmable Push/Dali driver inside in the canopy. Available in three sizes.

Available on request with dynamic white LED.




Family	Circular Slim
Typology	Pendant
Utilisation	Indoor



Dimensions

Height	2,5 cm
Diameter	65 cm
Weight	2.7 Kg





Materials

Structure	aluminium	Diffuser	methacrylate
Canopy	aluminium		


Voltage	230V	Watt	50 W
Power unit	Included	Lumen	1606 lm
Mounting Power Supply	External	CRI	>80
Power supply	Electronic dimmable power supply	Duration	50000 h
Dimming	Push	CCT	3000 K
	Dali2	Energy class	E

Certifications




Photometric curves

2004/SL/95/DIM/L/1/BI CIRCULAR SLIM 84W 3000K LED




Imax 401 cd/klm

2004/SL/65/DIM/L/1/BI CIRCULAR SLIM 54W 3000K LED



Imax 407 cd/klm

2004/SL/125/DIM/L/1/BI CIRCULAR SLIM 124W 3000K LED



Imax 395 cd/klm

Colour variant code



2004/SL/65/DIM/L/1/BI



White



2004/SL/65/DIM/L/1/AU



Pearl Gold

Gallery

