



Circular Slim

Ø 125 cm

Emiliana Martinelli

colors



Typology Pendant
Utilisation Indoor

230V 112.5 W 14454 lm




indirect light

Hanging lamp, indirect light, painted aluminium. Electronic dimmable Push/Dali driver inside in the canopy. Available in three sizes.

Available on request with dynamic white LED.




Family Circular Slim
 Typology Pendant
 Utilisation Indoor



Dimensions

Height 3 cm
 Diameter 125 cm
 Power supply cable length 400 cm
 Weight 4.8 Kg



Materials

Structure aluminium Diffuser methacrylate
 Canopy aluminium

Voltage	230V	Watt	112.5 W
Power unit	Included	Lumen	1606 lm
Mounting Power Supply	External	CRI	>80
Power supply	Electronic dimmable power supply	Duration	50000 h
Dimming	Push Dali2	CCT	3000 K
		Energy class	E


Certifications






Photometric curves

2004/SL/95/DIM/L/1/BI CIRCULAR SLIM 84W 3000K LED




Imax 401 cd/klm

2004/SL/65/DIM/L/1/BI CIRCULAR SLIM 54W 3000K LED



Imax 407 cd/klm

2004/SL/125/DIM/L/1/BI CIRCULAR SLIM 124W 3000K LED



Imax 395 cd/klm

Colour variant code



2004/SL/125/DIM/L/1/BI

White



2004/SL/125/DIM/L/1/AU

Pearl Gold

Gallery

