



# Circular Slim

Ø 125 cm

Emiliana Martinelli

colors



Typology      Pendant  
Utilisation    Indoor

230V    112.5 W    14454 lm




indirect light

Hanging lamp, indirect light, painted aluminium. Electronic dimmable Push/Dali driver inside in the canopy. Available in three sizes.

Available on request with dynamic white LED.




Family Circular Slim  
 Typology Pendant  
 Utilisation Indoor



**Dimensions**

Height 3 cm  
 Diameter 125 cm  
 Power supply cable length 400 cm  
 Weight 4.8 Kg



**Materials**

Structure aluminium      Diffuser methacrylate  
 Canopy aluminium

Voltage	230V	Watt	112.5 W
Power unit		Lumen	1606 lm
Mounting Power Supply	External	CRI	>80
Power supply	Electronic dimmable power supply	Duration	50000 h
Dimming	Push Dali2	CCT	3000 K
		Energy class	E


**Certifications**






Photometric curves

2004/SL/95/DIM/L/1/BI CIRCULAR SLIM 84W 3000K LED




Imax 401 cd/klm

2004/SL/65/DIM/L/1/BI CIRCULAR SLIM 54W 3000K LED



Imax 407 cd/klm

2004/SL/125/DIM/L/1/BI CIRCULAR SLIM 124W 3000K LED



Imax 395 cd/klm

Colour variant code



2004/SL/125/DIM/L/1/BI

White



2004/SL/125/DIM/L/1/AU

Pearl Gold

Gallery

