



Biconica Pol

Tunable white

Emiliana Martinelli

colors



Typology Floor
Utilisation External

230V 104 W 5370 lm



diffuse light

Thanks to the Tunable White LED (dynamic white) technology, the Biconica Pol lamp can reproduce the natural course of daylight by the possibility of modulating the color temperature of the LED light sources.

Using the Casambi app, users can "tune" the color of white as needed or desired to values between 2500 K and 6700 K, enhancing the most subtles tonalities and improving the quality of perception. They can achieve high-quality color yield (Ra 90) without altering the colors. The lighting control app makes it possible to quickly and precisely set and modulate the color from Android or Apple smartphones or tablets.

Standing lamp, diffused light, for outdoor use. Structure in rotomolded white polyethylene material.

White or RGB LED light source. Complete with dimmable power adapters with cable and plug for outdoor use. Protection rating: IP65.



Family	Biconica Pol
Typology	Floor
Utilisation	External



Dimensions

Height	195 cm
Diameter	38 cm
Power supply cable length	50+250 cm
Weight	12.4 Kg

Materials


Structure	polyethylene	Base	iron
-----------	--------------	------	------

Voltage	230V	Watt	104 W
Power unit	Included	Lumen	5370 lm
Mounting Power Supply	Internal	CRI	>80
Power supply	Electronic power supply	Duration	50000 h
Dimming	Remote control	CCT	3000 K
		Energy class	F


Certifications



EcoLabel



Photometric curves



Colour variant code



2217/POL/P/BD/L/1



White

Gallery



