



Avro

3000K - Junior

Studio Natural

colors



Typology Pendant
 Utilisation Indoor

230V 16 W 2380 lm



direct light



diffuse light

Direct/diffused light suspension lamp with LED source.
 Painted aluminium structure.
 Electronic driver inside the canopy.

Multisocket equipped with three 230V schuko and two USB outlets is available as a lamp accessory. Max power 2.3KW (code 40189).

As accessory, a WiFi dimming device with 3 cables that go into the canopy is available (code 40204.1).

As accessory, a radio frequency device for dimming the push-button (code 40204.2).

As accessory, is available a Tuya button (code 40209).

Award






Family	Avro
Typology	Pendant
Utilisation	Indoor

Dimensions

Height	25 cm
Diameter	35 cm
Power supply cable length	200 cm
Weight	2.5 Kg




Materials

Structure	aluminium	Diffuser	methacrylate 040
Canopy	aluminium		


Voltage	230V	Watt	16 W
Power unit		Lumen	2380 lm
Mounting Power Supply	Indoor	CRI	>80
		CCT	3000 K
Power supply	Electronic power supply	Energy class	
Dimming	No dimmable Optional WI-FI dimming		

Certifications






Photometric curves



Colour variant code





Accessories



40204.2
Frequency Radio device for button
dimming



40204.1
Tuya WiFi device for dimming



40189
Avro multisocket



40209
Button for Tuya
