



Avro

3000K - For electrified track


Studio Natural

colors



Typology Tracks Pendant
Utilisation Indoor

230V 36 W 5000 lm



direct light



diffuse light

Direct/diffused light suspension lamp with LED source.

Painted aluminium structure.

Electronic driver inside of the binary box driver.

Multisocket equipped with three 230V schuko and two USB outlets is available as a lamp accessory. Max power 2.3KW (code 40189).

As accessory, a WiFi dimming device with 3 cables that go into the canopy is available (code 40204).

As accessory, a radio frequency device for dimming the push-button (code 40204.3).

As accessory, is available a Tuya button (code 40209).


The electrified track can be purchased separately.

Award





Family Avro
 Typology Tracks Pendant
 Utilisation Indoor



Dimensions

Height 25 cm
 Diameter 60 cm
 Power supply cable length 200 cm

Materials


Structure aluminium Diffuser methacrylate O40

Voltage	230V	Watt	36 W
Power unit	Included	Lumen	5000 lm
Mounting Power Supply	Internal	CRI	>80
Power supply	Electronic power supply	Duration	50000 h
Dimming	Non dimmable Optional WI-FI dimming	CCT	3000 K
		Energy class	E

Certifications



EcoLabel



Colour variant code



21019/BE/3000/AR

Orange



21019/BE/3000/AZ

Azure



21019/BE/3000/BI

White



21019/BE/3000/NE

Black



Accessories



40204.3
Frequency Radio device for button
dimming



40204
WiFi device for dimming



40189
Avro multisocket



40209
Button for Tuya
