

Loop

Loop circular

Emiliana Martinelli

colors



230V 678.6 W 62211 lm





diffuse light

Typology

gy Pendant

Utilisation

Indoor



Hanging lamp, diffused light, composed with curved sectors in painted aluminium profile. The union of those sectors offer different diameters rings, hanged by stainless steel cables. White opal polycarbonate diffuser. Integrated LED light source. Electronic dimmable Push/Dali, O-10V e 1-10V driver inside in the canopy. Available on request 2700K, 4000K.

interior light emission:

21003/500/DIM Ø 500cm composed by 6 sectors 60°

21003/400/DIM Ø 400cm composed by 5 sectors 72°

21003/300/DIM Ø 300cm composed by 4 sectors 90°

21003/200/DIM Ø 200cm composed by 3 sectors 120°

21003/160/DIM Ø 160cm composed by 3 sectors 120°



Family Loop Typology Pendant Utilisation Indoor




## **Dimensions**

Height 8 cm Diameter 500 cm 400 cm Power supply cable

length

Weight 42 Kg



## Materials

Diffuser Structure polycarbonate aluminium

230V Voltage Included Power unit

Mounting Power Supply

External

Power supply Electronic dimmable power supply

Push Dimming

> Dali2 Pot. 10KΩ 0-10V 1-10V

Watt 678.6 W Lumen 62211 lm CRI >80 CCT 3000 K Energy

class


## Certifications











## Colour variant code



White







Pearl Gold



21003/500/DIM/CU



Loop 21003/500/DIM