



Luna

Ø 50 cm

Emiliana Martinelli

colors



Typology Ceiling
Utilisation Indoor

230V 21 W 2650 lm 21 W 2650 lm 21 W 2650 lm 2




diffuse light

Ceiling lamp diffused light. Painted aluminium structure. Opal white methacrylate diffuser. Superior ring in methacrylate material or aluminium. LED light source integrated. Complete with electronic driver dimmable Push/Dali.

Emergency on request



Family	Luna
Typology	Ceiling
Utilisation	Indoor



Dimensions

Height	12 cm
Diameter	50 cm
Power supply cable length	0 cm
Weight	5 Kg

Materials

Structure	aluminium	Diffuser	methacrylate
Base	aluminium		

Voltage	230V	Watt	21 W	Watt	21 W	Watt	21 W	Watt	21 W
Power unit	Included	Lumen	2650 lm	Lumen	2650 lm	Lumen	2650 lm	Lumen	2650 lm
Mounting Power Supply	Internal	CRI	>80	CRI	>80	CRI	>80	CRI	>80
Power supply	Electronic power supply	Duration	50000 h	Duration	50000 h	Duration	50000 h	Duration	50000 h
Dimming	Push Dali2 Pot. 10K Ω 0-10V 1-10V	CCT	3000 K	CCT	3000 K	CCT	3000 K	CCT	3000 K
		Energy class	F	Energy class	E	Energy class	E	Energy class	E


Certifications



EcoLabel



Photometric curves



Colour variant code



2862/J/DIM/L/1/BI/AR



White/orange



2862/J/DIM/L/1/BI/BI



White/white



Gallery

