

Pipistrello

Classic led

Gae Aulenti



colors



Typology Table Floor
Utilisation Indoor


230V 14 W 1400 lm



Table or standing lamp with diffused light, adjustable height. Glazed stainless steel telescope. White opal methacrylate diffuser. Structure and knob in painted aluminum. LED light source integrated, dimmable, electronic driver on the plug.




| | |
|-------------|-------------|
| Family | Pipistrello |
| Typology | Table Floor |
| Utilisation | Indoor |



Dimensions

| | |
|---------------------------|------------|
| Height | 66 - 86 cm |
| Diameter | 55 cm |
| Power supply cable length | 45+200 cm |
| Weight | 9.6 Kg |



Materials

| | | | |
|-----------|--|----------|------------------|
| Structure | aluminium brass copper stainless steel | Diffuser | methacrylate O40 |
| Base | iron | | |

| | | | |
|-----------------------|-------------------------|--------------|---------|
| Voltage | 230V | Watt | 14 W |
| Power unit | Included | Lumen | 1400 lm |
| Mounting Power Supply | External | CRI | >80 |
| Power supply | Electronic power supply | Duration | 50000 h |
| Dimming | Dimmer on the cable | CCT | 2700 K |
| | | Energy class | E |


Certifications



EcoLabel



Photometric curves



Colour variant code



620/DIM/L/1/MA



Brown



620/DIM/L/1/BI



White



620/DIM/L/1/NE



Black



620/DIM/L/1/VE



Agave Green



620/DIM/L/1/OT



Brass

Gallery

