



Circular Slim

Ø 125 cm

Emiliana Martinelli

colors



Typology Pendant
Utilisation Indoor

230V 112.5 W 14454 lm




indirect light

Hanging lamp, indirect light, painted aluminium. Electronic dimmable Push/Dali driver inside in the canopy. Available in three sizes.


Available on request with dynamic white LED.



Family	Circular Slim
Typology	Pendant
Utilisation	Indoor



**Dimensions**

Height	3 cm
Diameter	125 cm
Power supply cable length	400 cm
Weight	4.8 Kg

**Materials**


Structure	aluminium	Diffuser	methacrylate
Canopy	aluminium		

Voltage	230V	Watt	112.5 W
Power unit	Included	Lumen	14454 lm
Mounting Power Supply	External	CRI	>80
Power supply	Electronic dimmable power supply	Duration	50000 h
Dimming	Push Dali2	CCT	3000 K
		Energy class	E

Certifications


Photometric curves

2004/SL/95/DIM/L/1/BI CIRCULAR SLIM 84W 3000K LED




Imax 401 cd/klm

2004/SL/65/DIM/L/1/BI CIRCULAR SLIM 54W 3000K LED



Imax 407 cd/klm

2004/SL/125/DIM/L/1/BI CIRCULAR SLIM 124W 3000K LED



Imax 395 cd/klm

Colour variant code



2004/SL/125/DIM/L/1/BI

White

2004/SL/125/DIM/L/1/AU

Pearl Gold

Gallery

