



Avro

3000K - For electrified track

Studio Natural

colors

230V 36 W 5000 lm

•

direct light

•

diffuse light

Typology Tracks Pendant

Utilisation

Indoor

Direct/diffused light suspension lamp with LED source.

Painted aluminium structure.

Electronic driver inside of the binary box driver.

Multisocket equipped with three 230V schuko and two USB outlets is available as a lamp accessory. Max power 2.3KW (code 40189).

As accessory, a WiFi dimming device with 3 cables that go into the canopy is available (code 40204).

As accessory, a radio frequency device for dimming the push-button (code 40204.3).

As accessory, is available a Tuya button (code 40209).

The electrified track can be purchased separately.

Award





Family Avro


Tracks Pendant Typology

Utilisation Indoor

Dimensions

Height 25 cm Diameter 60 cm 200 cm Power supply cable

length



Materials


Structure	aluminium	Diffuser		methacrylate 040
Voltage Power unit Mounting Power Supply	230V Watt Lumen CRI	36 W 5000 lm >80		
Wourning Fower Supply	Indoor	Duration 50000 h CCT 3000 K Energy class E	50000 h	
Power supply	Electronic power supply		3000 K	
Dimming	No dimmable		E	
	Optional WI-FI dimming			

Certifications











Colour variant code





Azure



White







Accessories

40204.3



Frequency Radio device for button dimming



40204

WiFi device for dimming





Avro multisocket



40209

Button for Tuya